

## Refine Search

### Search Results -

Terms	Documents
xml same relational adj database and select same xml and column and row	197

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L5





### Search History

DATE: Thursday, September 28, 2006  
[Create Case](#)

[Purge Queries](#)
[Printable Copy](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR</i>		
<u>L5</u>	xml same relational adj database and select same xml and column and row	197	<u>L5</u>
<u>L4</u>	xml same relational adj database and select same xml and column	259	<u>L4</u>
<u>L3</u>	xml same relational adj database and select same xml	368	<u>L3</u>
<u>L2</u>	xml same relational adj database same select	77	<u>L2</u>
<u>L1</u>	xml same relational adj database	1984	<u>L1</u>

END OF SEARCH HISTORY

[Sign in](#)[Go to Google Home](#)[Web](#) [Images](#) [Video](#)<sup>New!</sup> [News](#) [Maps](#) [more »](#)

xml "relational database" select column row

[Search](#)[Advanced Search](#)  
[Preferences](#)**Web** Results 1 - 10 of about 151,000 for **xml "relational database" select column row**. (0.32 seconds)[\[PDF\] XQuery in Relational Database Systems](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

"Natively" Storing and Organizing XML in a Relational Database . ... the XML column a row that contains the XML representation of its customer, ...

[www.idealliance.org/proceedings/xml04/papers/254/XQueryRDS.pdf](http://www.idealliance.org/proceedings/xml04/papers/254/XQueryRDS.pdf) - [Similar pages](#)[XQuery in Relational Database Systems](#)

The following example will extract for every customer order in the XML column a row that contains the XML representation of its customer, the name of the ...

[www.idealliance.org/proceedings/xml04/papers/254/XQueryRDS.html](http://www.idealliance.org/proceedings/xml04/papers/254/XQueryRDS.html) - 32k -[Cached](#) - [Similar pages](#)[\[ More results from www.idealliance.org \]](#)[XML.com: Storing XML in Relational Databases](#)

DAD defines a mapping between XML elements and relational database ...

&lt;/ResultSetMetaData&gt; &lt;ResultSetData&gt; &lt;Row&gt; &lt;Column

name="CURRENCY1"&gt;GBP&lt;/Column&gt; . ...

[www.xml.com/lpt/a/803](http://www.xml.com/lpt/a/803) - 36k - [Cached](#) - [Similar pages](#)[XML.com: Using XML and Relational Databases with Perl](#)

Given that our data models are very similar the only differences will be in column name we select for the primary key and the column names that the XML ...

[www.xml.com/pub/a/2000/12/13/perlxmlldb.html](http://www.xml.com/pub/a/2000/12/13/perlxmlldb.html) - 37k - [Cached](#) - [Similar pages](#)[\[ More results from www.xml.com \]](#)[rpbouret.com - XML Database Products: XML-Enabled Databases](#)

The XML document used by ResultSetXml has a proprietary format that contains a set of ColumnMetaData elements followed by a set of Row and Column elements. ...

[www.rpbouret.com/xml/ProdsXMLEnabled.htm](http://www.rpbouret.com/xml/ProdsXMLEnabled.htm) - 49k - [Cached](#) - [Similar pages](#)[rpbouret.com - XML Database Products: Wrappers](#)

Ashpool is a simple relational database that uses XML documents to store data. ... three levels of an XML document are treated as table, row, and column. ...

[www.rpbouret.com/xml/ProdsWrappers.htm](http://www.rpbouret.com/xml/ProdsWrappers.htm) - 14k - [Cached](#) - [Similar pages](#)[\[ More results from www.rpbouret.com \]](#)[\[PDF\] Automated Statistics Collection in DB2 Stinger](#)File Format: PDF/Adobe Acrobat - [View as HTML](#)

end tags match start tags) for storage in the XML column. ... The SELECT list is evaluated on. each row of table DOCS and produces a two-column. result. ...

[www.vldb.org/conf/2004/IND5P2.PDF](http://www.vldb.org/conf/2004/IND5P2.PDF) - [Similar pages](#)[XML MATTERS #9 -- Generating DTDs and XML Documents from SQL ...](#)

However, there are nonetheless several important aspects of an SQL query that can and should be represented in an XML DTD beyond simply row/column positions ...

[gnosis.cx/publish/programming/xml\\_matters\\_9.html](http://gnosis.cx/publish/programming/xml_matters_9.html) - 17k - [Cached](#) - [Similar pages](#)[RE: Mechanics of mapping relational data into XML](#)

column> ... </row> ... </table> ... </tables> which are generated by tools such ... a standardized way to tell a relational database on how to generate XML. ...

[www.stylusstudio.com/xmldev/200007/post80430.html](http://www.stylusstudio.com/xmldev/200007/post80430.html) - 24k - [Cached](#) - [Similar pages](#)

### Paging

This temporary table has an additional "**row number**" **column** which is indexed. ... process as possible" - typically in the **relational database** layer itself. ...

[www.dpawson.co.uk/xsl/sect2/paging.html](http://www.dpawson.co.uk/xsl/sect2/paging.html) - 16k - [Cached](#) - [Similar pages](#)

Result Page:    [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    **[Next](#)**

---

xml "relational database" select colu	Search
---------------------------------------	--------

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

---

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google